

PRICE BID

Note: Scope of work includes required material, labour, consumables, tools, tackles, loading , un loading , transportation, safety measures etc complete to the satisfaction of Engineer in charge to complete the work.

Item No	Item Description	Unit	Total Qty.	Rate	Amount
1	Providing and applying Two coats of Oil bound Washable Distemper of approved standard quality manufactured as per latest IS as per makes in make list, and approved of brand and of required shade suggested by GMDC and applied properly to the existing surfaces to give an even shade etc. , including priming coat with distemper primer of approved brand and make after thoroughly brushing ,washing,scraping clean of all dust dirt and other foreign matter , including preparing the surface even and sand paper smooth , with necessary scaffolding/Zulla etc complete at all level and as directed by Engineer in charge. NOTE: The details of Colour brand is mentioned at Technical bid- Introduction Chapter- Note-1	SMT	6520.00		
2	Providing and fixing 35 mm thick shutters for flush Doors with Granite frame & both side 1 mm laminated, windows and clear story windows including anodised aluminium butt hinges with necessary screws and indian teak wood shutters with (B) partial board panels	SMT	324.00		
3	Providing and laying ceramic tiles 6mm thick of ISI standard like JONSON , Asian, Kajaria , simpolo or equivalent of approved make, in flooring tread of steps and landing laid on a bed of 12mm thick cement mortar 1:3 finishing with flush pointing in white cement as directed .	SMT	791.00		
4	P & L 36" x 36" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 (1 cement: 6 coarse sand) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with colour cement slurry including finished with flush pointing & cleaning the surface etc. complete for antiskit.Work complete including all type of tools, tackles, scaffolding, safety measures, loading, unloading, transportation, at all floors, all heights, all levels etc complete as per instruction of Architect/EIC.	SMT	1245.00		
5	Providing and laying cement concrete 1:2:4 (1- Cement : 2- Coarse sand : 4- graded stone aggregates 20 mm nominal size) and curing complete excluding cost of formwork in (A) Foundation and Plinth	CMT	18.00		
6	Providing and fixing screw down bib taps of following size (A) Brass screw down bib tap polished bright (I) 15 mm dia.	NOS	94.00		
7	Providing and fixing ISI SS Pillar tap as approved by EIC, capstan head, screw down high pressure with screw , shanks and back nutt (i) 15 mm dia , including cutting holes and making good the same .	NOS	90.00		
8	Providing and fixing wash down water closet (European type, W.C. Pan) with integral P or S trap including jointing the trap with soil pipe in Cement Mortar 1:1 (1-Cement : 1-fine sand) (Seal and cover to be measured and paid for separately)(A) vitreous China Pattern :(i) in white colour	NOS	30.00		
9	Providing and fixing C.P. Brass waste for wash basin or sink (A) 32 mm dia	NOS	30.00		
10	Providing and fixing 12.5 Litres high level C.I. flushing cistern with A pair of C.I. or Mild steel brackets, complete with fittings such as sphyronic arrangement, 15mm nominal size brass ball valve with polythene float, lever G.I. China (60 cm.) and pull union and couplings for connections with inlet, outlet and overflow pipes etc. including cutting holes in walls and making good the same (overflow pipe to be measured and paid for separately)	NOS	30.00		
11	Providing laying and jointing in true line and level 15mm dia. U.P.V.C. (SCH-40) for cold water including fittings as approved by Engineer in charge.	RMT	550.00		
12	Providing laying and jointing in true line and level 25mm dia. U.P.V.C. (SCH-40) for cold water including fittings as approved by Engineer in charge.	RMT	375.00		
13	Providing and fixing plastic seat and cover for wash down water closer with C.P. brass hinges and rubber buffers. (B) plastic seal and cover.	NOS	30.00		
14	Providing and fixing PVC SWR Nahni trap IS 14735 for drain - 100 mm diameter with jali of the following nominal diameter of self cleansing design with C.I screaddown or hinged grating including the cost of cutting and making good the walls.	NOS	112.00		
15	Providing and fixing washbasin with single hole for pillar tap with C.I. or M.S. brackets painted white including cutting holes and making good the same but excluding fittings.(A) Vitreous China:(ii) Flat Back washbasin 550 mm x v 400mm size. (i) In white colour.	NOS	30.00		
16	Providing and fixing 600 mm x 450mm bevelled edge mirror of superior glass mounted on 6 mm thick A.C. sheet or plywood sheet and fixing to wooden plugs with C.P. brass screws and washers.Work complete including all type of tools, tackles scaffolding , safety measures, loading , unloading , transportation at all floors , all heights , all levels etc. complete as per instruction of EIC.	NOS	30.00		

17	Providing & Fixing Staines steel (SS) Health flaucet abs body make selected model/approval brand,make with all neccery fitting as per the satisfaction of EIC.	NOS	30.00		
18	Providing and fixing to wall ceiling and floor 10.0 Kg. F/Cm2 working pressure poluthene pipes of the following outside Dia. Low density, complete with special falnge compression type fittings, wall clipsetc. including making good the wall ceiling and floor.(D) 40mm	RMT	140.00		
19	Dismantling any type of flooring / tiled of stone floor laid in mortar including starcking of serviceable materials and disposal of unserviceable materialsall lead and lift, disposal of unserviceable materials with all lead and lift , required labour, safety measures etc.complete and as direcetd by EIC.	SMT	2250.00		
20	Providing & Fixing SS steel jali for NT -having various size including fitting with cement etc. completed as per instruction of EIC.	NOS	120.00		
21	Providing and fixing angle valve of following size (A) C.P 15 mm polished bright	NOS	142.00		
22	Dismantling sanitary fittings like wash basin,W.C. pan indian and European type,flushing tank etc.including stacking the materials with all lead and lift as directed and specified by EIC. Work complete including all type of tools, tackles scaffolding , safey measures, loading , unloading , transportation at all floors , all heights , all levels etc. complete as per instructio of EIC.	NOS	88.00		
23	Dismantling existing doors , windows, ventilators etc. (wooden or steel) shutter including chowkhats architvres, hold fasts and other attachment etc. and stacking them within all lead and lift (ii) Exceeding 3 sq.mtr area.	NOS	215.00		
24	Providing and fixing 25 mm thick shutters for cupboards etc. including black enamelled M.S. butt hinges with necessary screws. (A) Indian teak wood. (i) Fully Panelled.	SMT	250.00		
25	Kitchen Platform (750 mm to 800 mm width): Providing & fixing two layers (Sandwitch) Pantry Platform, bottom layer using 25mm thick rough Kotastone joined to gether with 1:4 cemnet mortar , of approved Samplke and top layer using 18 mm to 20 mm thick polish granite stone (Single piece/telephonoc black) with 75 mm to 80 mm wide , machine cut polish grannite round moulded facia patti and joint filled up with white cement and making hole for gGas Cylinder etc complete as directed by EIC. work complete Including cost of all labour, materials, safety measures, loading, unloading, transportation, cleaning, protection sheet, at all floor, all level, all depth, all Height, all lead and lift etc. .	RMT	88.00		
26	Providing and fixing Kitchen sink with C.I. or M.S. brackets, painted white including cutting holes in walls and making good the same but excluding fittings. (C) Vitreous China Sink.(i) 600mm x 450mm x 150mm size	NOS	30.00		
27	window curtain rod 25mm stainless steel with two side handle & all item included fitting,labour,transportation etc...	RMT	131.00		
28	Painting two coats oil paint -for doors, window, grill & railing ,gates, all febrication work ,wood etc.. including cleaning of all dust, dirt and other foreign matter sand papering and stopping.	SMT	360.00		
29	Providing 15 mm thick cement plaster in single coat on single or half brick walls for interior plastering upto floor two level and finished even and smooth in cement mortar 1:4 (1-cement : 4 -sand) including finishing the surface with smooth cement finishing, necessary drip mouldings, scaffolding, curing etc. complete , including all men power, labour, tools and tackles etc. complete and as directed by Eingeineer in charge .	SMT	440.00		
30	Providing and fixing S.S hook rail 8 NOs legs hook on S.S. patti of 400 X 35 X 3 mm size S.S patti.	NOS	106.00		
31	Grouting the joints of flooring tiles (size 600*600mm) having joint of 3 mm widths, using epoxy grout mix of 0.70 KG of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg,including filling /grouting and finishing complete as per direction of Engineer - in - charge.	SMT	1370.00		
32	Providing and laying brick masonry work using common burnt clay building bricks having crushing strength not less than 35 Kg/Cm2 in super structure and at any level in concrete mortar 1:6 (1 cement: 6 sand) includingrequired labour, men power, scaffolding , curing etc complit and as directed by Engineer in charge at all levels.	CMT	10.00		
33	Providing erecting and fixing double coated ISI water tank of approved quality and brand by EIC, of required capacity each with all necessary fittings and to connect with existing pipe line and make sure that proper water supply with no leakges observed ,including all material, labour , fittings, safety measures, tools, tackles , transportations , loading , unloading etc. complete and as directed by EIC.	LT	5000.00		
34	P & A two coats (exluding priming coat) on new wood and wood based surface with ready mixed paint,brushing ,oil,gloss,semi gloss to give even shade including cleaning of all dust , dirt and other foreign matter sand paperingand stopping.	SMT	103.00		

35	Scraping of old Distemper from wall with sand paper and make wall surface smooth incl.necessary repairs to cratches etc.	SMT	2050.00		
36	Polishing on existing flooring: Rubbing & polishing on existing flooring work . All joints filled with grey cement base grouting as required & as instructed by EIC.Work complete including all type of tools, tackles, scaffolding, safety measures, loading, unloading, transportation, at all floors, all heights, all levels ,etc complete .	SMT	350.00		
37	Providing and fixing of door magnet as instructed by EIC.Work complete including all type of tools, tackles, scaffolding, safety measures, loading, unloading, transportation, at all floors, all heights, all levels ,etc complete .	NOS	59.00		
38	Granite Stone 18mm thick for Window Sills & Jamb/stair incl.chipping of existing plaster & fixing with cement in true line & level etc. comp.	SMT	25.00		
39	Providing and applying two coats of water proof cement paint of approved brand manufactured as per latest IS, of approved brand and as per make list mentioned in Technical bid-I , by EIC , on all old applied surface with good quality brush to give an even shade including cleaning the surface to remove all dust, dirt mortar drops and other foreign matter and oil sports , other loose surfaces including curing the rendered surfaces with necessary scaffolding/Zulla etc. completed as directed and specified at all levels. Work complete including all type of tools, tackles scaffolding , safey measures, loading , unloading , transportation at all floors , all heights , all levels etc. complete as per instructio of EIC. NOTE: (1)Measurement will be paid as measured flat without increasing the quantity to get equivalent plain area. (2) No extra payment for the grained/sand faced surface will be considered.NOTE: The details of Colour brand is mentioned at Technical bid-Introduction Chapter- Note-1	SMT	1760.00		
40	20 mm thick sand faced plaster on wall upto height 10 meters above ground level consisting of 12 mm thick backing coat of C.M. 1:3 (1-CEMENT : 3-SAND) and 8 MM thick finishing coat of C.M. 1:1 (1-CEMENT : 1-SAND)etc Complete, including all men power, labour, tools and tackles, scaffolding, curing etc. complete with all safety measures and as directed by EIngineer in charge .	SMT	23.00		
41	Providing & Fixing SS SHOWER WITH ARMS make selected/approval brand model with all neccery fitting	NOS	2.00		
42	Providing & Fixing SS towel rod make selected/approval brand model with all neccery fitting	NOS	2.00		
43	Providing & Fixing SS towel ring make selected/approval brand model with all neccery fitting	NOS	4.00		
44	Providing and laying vitrified tiles 8mm thick of 1200mm x600 mm in size of ISI standard like JONSON , Asian, Kajaria , simpolo or equivalent of approvd make & shade in flooring tread of steps etc. laid on a bed of 12mm thick cement mortar 1:3 finishing with flush pointing in white cement as directed . Rates incl.the cost of removal of old flooring & disposing of debris as per instruction of EIC.	SMT	180.00		
45	Applying two coats of Birla or Asian acrylic lappy (putty) on existing wall surface and two coats of primer of approved brand and mfg.on wall surface,small and big patches to give an even shade etc.	SMT	480.00		
46	Removing of the existing door shutter, stacking the same for reuse and refitting on completion of flooring work in same original state etc completed.	NOS	13.00		
47	Providing laying (to level or slopes) and jointing with transportation ,labour and including testing of joints complete.(C) PVC SWR Pipe IS 13592 For drain 110 MM.(6 kg)	RMT	80.00		
48	Providing and fixing 35 mm thick shutters for flush Doors, windows and clear story windows including anodised alluminium butt hinges with necessary screws.	SMT	74.00		
			Total Amount		