



RFP for

Annual Rate Contract for Supply and Commissioning of Printers, Cartridges, Plotters and Scanners at The Corporate Office and Project Offices of GMDC.

RFP Number: GMDC/IT/Printers, Cartridges, Plotters & Scanners/2/2025-26 (One Year)

CORRIGENDUM 3

Extension of Date for Bid Submission and Change in Specifications

Publishing date: 26-11-2025

The Schedule of Bidding stands amended as below

It is to be noted that Except as specifically amended or modified by this Corrigendum, all other terms, conditions, specifications, and requirements contained in the original Request for Proposal (RFP) document, and any Corrigendum previously issued, remain valid and binding.

Sr. No	Existing Clause		Amended Clause	
01	Last date of submission of Price bid through online	28/11/2025 up to 18:00 hours	Last date of submission of Price bid through online	12/12/2025 18:00 hrs
02	Last date of submission of physical documents i.e. EMD, RFP Fee, Technical Bid etc.	28/11/2025 up to 18:00 hours at Corporate Office, GMDC Ahmedabad	Last date of submission of physical documents i.e. EMD, RFP Fee, Technical Bid etc.	12/12/2025 18:00 hrs at Corporate Office, GMDC Ahmedabad
03	Date for online opening of preliminary bid.	29/11/2025 12:00 hrs	Date for online opening of preliminary bid.	15/12/2025 11:00 hrs

Answers to Queries

Annual Rate Contract for Supply and Commissioning of Printers, Cartridges, Plotters and Scanners at The Corporate Office and Project Offices of GMDC.					
RFP Number: GMDC/IT/Printers, Cartridges, Plotters & Scanners/2/2025-26 (One Year)					
Sr. No.	Tender document Page No.	Tender Clause	Requested Terms	OEM Remark OR Query of Bidders	GMDC Remarks
1	Page No. 21/34	Plotter: Plotter 44-inch Printheads: 3 or more printheads	1 or more Printheads	We recommend in latest technology, please consider printhead 1 or more to achieve high print speed and long life of Printhead.	Please see revised Specifications.

2	Page No. 21/34	Plotter: Plotter 44-inch Adobe Postscript Script	Request to remove Adobe Postscript Script	Epson Technology is with adobe embedded print engine, which is latest technology to print PDFs. Hence requesting to remove Adobe Postscript.	Please see revised Specifications.
3	Page No. 21/34	Plotter: Plotter 44-inch Nesting Feature	Request to remove Nesting feature from specification.	As per requested terms.	GMDC agrees to remove the nesting feature requirement as per the OEM justification and practical use case.
4	Page No. 27/34	Type G Plotter Original Cartridge Cyan (300 ml) Original Cartridge magenta (300 ml) Original Cartridge yellow (300 ml) Original Cartridge photo black (300 ml) Original Cartridge matte black (300 ml) Original Cartridge grey (300 ml)	All 6 color instead of specifying the Name of color.	Please write Color 1, 2 ,3, 4, 5,6 with minimum 300 ML.	Please see revised Specifications.
5	Annexure 1A Printer Type: LaserJet Color Printer with Wi-Fi Page 18	Cartridge Specification	CMY/CMYK (color) Each color cartridge should yield minimum of 600 pages as per the standards of ISO/IEC 24734 in A4 Size for Color Printing	Request the department to consider below and reap the maximum benefit without any extra cost. Each color cartridge should yield minimum of 1000 pages as per the standards of ISO/IEC 24734 in A4 Size for Color Printing	No Change. As Per RFP
6	Annexure 1A Printer Type:	Print Resolution	1200 dpi for color	Request the department to consider 600 dpi and	Please see revised Specifications.

	LaserJet Color Printer with WiFi Page 18			enable us to quote competitive model.	
7	Annexure 1B Printer Type: LaserJet B/W Multi-Function Auto Duplex Printer with DADF / SPDF Page 18	Print Resolution	1200 dpi	Request the department to consider 600 dpi and enable us to quote competitive model.	Please see revised Specifications.
8	Annexure 1B Printer Type: LaserJet B/W Multi-Function Auto Duplex Printer with DADF / SPDF Page 18	Printer Function	LaserJet B/W Multi-Function Auto Duplex Printer with DADF / SPDF	Request the department to consider only SPDF and have a superior user experience without any extra cost.	No Change. As Per RFP
9	Annexure 1B Warranty of Products: Page 12	Warranty of Products	OEM Onsite warranty for 3 years. for all supplied product from date of Delivery and Installation. Onsite warranty should include Rat / rodent damage coverage from OEM.	Request the department to only consider rodent coverage for plotters as generally printers are closed box but in case of plotters there are open spaces which could lead to potential damages	Please See Revise Condition <i>"The Bidder shall provide an OEM comprehensive onsite warranty for a period of three (3) years for all supplied products from the date of delivery and successful installation. Bidder to Cover rat/rodent damage in the warranty. Any defective part replacement during the warranty period, bidder to ensure that the replaced part is a new and original genuine part without any additional cost, ensuring that such replacement does not void or affect the OEM warranty in any manner."</i>

10	Annexure F: PRICE BID to only be submitted online. Page 27	Type G Plotter	Original Cartridge grey (300 ml)	Request the department to consider Chromatic red color instead of grey color.	Please see revised Specifications.
11	Composite Cartridge Technology Page No:18,19,20		Request for Separate Drum and Toner Technology		No Change. As Per RFP
12	Plotter 44-inch Page No. 21/34	Plotter 44-inch Original Cartridge grey (300 ml)	Grey color Not available	Recommend removing grey color.	Please see revised Specifications.
13	Plotter 44-inch Page No. 21/34	Plotter 44-inch Maintenance Cartridges	Need to add	Need to add	Already There.
14	Plotter 44-inch Page No. 21/34	Plotter 44-inch Resolution: Min 6 color printer	MIN 5 color	Need to add	No Change. As Per RFP
15	Plotter 44-inch Page No. 21/34	Plotter 44-inch Color: 6 pl	5 Pl	Need to add	Please see revised Specifications and Terms and Conditions.
16	Plotter 44-inch Page No. 21/34	Plotter 44-inch Ink drop	3 or more printheads	Min 1 print head	Please see revised Specifications.
17	Plotter 44-inch Page No. 21/34	Plotter 44-inch Adobe Postscript Script	Yes	Not available /proprietary HP feature	Please see revised Specifications.
18	Plotter 44-inch Page No. 21/34	Plotter 44-inch Connectivity	WINDOWS, MAC, LINUX	Windows and MAC only	Please see revised Specifications.
19	Type A Page No. 18/34	Laser jet Color Printer with Wi-Fi: Connectivity: USB, LAN AND WIRELESS LAN (With Air drop Print)	Request to remove Air drop (it is usually with Apple-to-Apple device)	Request to remove Air drop (it is usually with Apple-to-Apple device)	Please see revised Specifications.
		Print Resolution: 1200 dpi for color	600 x 600 dpi	600 x 600 dpi	Please see revised Specifications.

20	Type B Page No. 18/34	LaserJet B/W Multi-Function Auto Duplex Printer with DADF / SPDF: Print Resolution	1200 dpi or higher	1200 dpi or higher	Please see revised Specifications.
21	Type C Page No. 19/34	Auto Duplex B/W LaserJet Printer: Cartridge Specification: One Cartridge should yield minimum 1000 pages as per the standards of ISO/IEC 24734 in A4 Size for Monochrome Printing	Request to change it to 700 pages. Canon provides the bundle toner for 700 pages and new one at 1200 pages.	Request to change it to 700 pages. Canon provides the bundle toner for 700 pages and new one at 1200 pages.	Please see revised Specifications.
22	Type D Page No. 19/34	Auto Duplex Network B/W Printer with Wi-Fi: Printer Security: Printer should have facility to hold a queue until users release their documents at printer. User must be authenticated with cards or user credentials (Active Directory / LDAP) or Pin at the printer control panel, or with a mobile QR code. Unprinted jobs should be automatically deleted as per policy defined.	PIN printing available but Mi-Card reader Not available.	PIN printing available but Mi-Card reader Not available.	No Change. As Per RFP

Annexure A: Revised Minimum Specification

Annexure 1A

Type A

Printer Type : LaserJet Color Printer with WiFi

Printer Function	Print	
Printer Type	Color Laser Printer	
Duplex	Auto	
Speed	33 PPM	
Memory	512 MB or Higher	
Print Resolution	600 dpi for color	
Connectivity	USB, LAN AND WIRELESS LAN (With Air Print)	
Network	Wireless network security Wireless setup support utility – WPS	
Supported OS	Windows® Operating System & MAC OS	
Monthly Duty Cycle	50,000	
Cartridge Specification	Black	One B/W Cartridge should yield min 1000 pages
	CMY/CMYK (color)	Each color cartridge should yield minimum of 600 pages as per the standards of ISO/IEC 24734 in A4 Size for Color Printing
Cartridge Technology	All Printers to be supplied with Composite Cartridge technology.	

Annexure 1B

Type B

Printer Type : LaserJet B/W Multi-Function Auto Duplex Printer with DADF / SPDF

Printer Function	LaserJet B/W Multi-Function Auto Duplex Printer with DADF / SPDF	
Printer Type	Monochrome Laser Printer	
Duplex	Auto	
Speed	40 PPM	
Print Resolution	600 dpi or higher	
Connectivity	USB	
Supported OS	Windows® Operating System & MAC OS	
Monthly Duty Cycle	80,000 or higher	
Cartridge Specification	One Cartridge should yield minimum 3000 pages as per the standards of ISO/IEC 24734 in A4 Size for Monochrome Printing	
Cartridge Technology	All Printers to be supplied with Composite Cartridge technology.	

Annexure 1C

Type C

Printer Type : Auto Duplex B/W LaserJet Printer

Printer Function	Print
Printer Type	Monochrome Laser Printer
Duplex	Auto
Speed	29 PPM
Print Resolution	600 dpi or higher

Connectivity	USB
Supported OS	Windows® Operating System, MAC OS
Monthly Duty Cycle	10,000
Cartridge Specification	One Cartridge should yield minimum 1000 pages as per the standards of ISO/IEC 24734 in A4 Size for Monochrome Printing
Cartridge Technology	All Printers to be supplied with Composite Cartridge technology.

Annexure 1D

Type D

Printer Type : Auto Duplex Network (LAN AND WLAN) B/W Printer

Printer Function	Print
Printer Type	Auto Duplex Network (WiFi and LAN) B/W Printer with Security
Duplex	Auto
Speed	43 PPM
Memory	1.5 GB or Higher
Print Resolution	600 dpi or higher
Connectivity	LAN AND WiFi (LAN and WiFi Should be working Together)
Supported OS	Windows® Operating System, MAC OS
Monthly Duty Cycle	1,00,000
Printer Security	Printer should have facility to hold a queue until users release their documents at printer. User must be authenticated with cards or user credentials (Active Directory / LDAP) or Pin at the printer control panel, or with a mobile QR code. Unprinted jobs should be automatically deleted as per policy defined.
Cartridge Specification	One Cartridge should yield minimum 5000 pages as per the standards of ISO/IEC 24734 in A4 Size for Monochrome Printing
Cartridge Technology	All Printers to be supplied with Composite Cartridge technology.

Annexure 1E

Type E

Printer Type : Auto Duplex High Speed B/W Printer (for Weighbridge)

Printer Function	Print
Printer Type	Auto Duplex High Speed B/W Printer
Duplex	Auto
Speed	43 PPM
Memory	512 MB or Higher
Print Resolution	600 dpi or higher
Network	LAN
Supported OS	Windows® Operating System, MAC OS
Monthly Duty Cycle	1,00,000
Cartridge Specification	One Cartridge should yield minimum 5000 pages as per the standards of ISO/IEC 24734 in A4 Size for Monochrome Printing
Cartridge Technology	All Printers to be supplied with Composite Cartridge technology.

Annexure 1F

Type F

Scanner: High Speed network duplex Scanner

Scanner Type	Automatic Document feeder (Duplex ADF)-Duplex scanner
Connectivity	Wired Network Interface (LAN) and Local Interface of USB 3.0/2.0
Scan Resolution	600 DPI
Direct Scan	Scan directly to a USB
Supported OS	Windows® Operating System & MAC OS
Duty Cycle	4000 sheets monthly
ADF Capacity	Up to 50 pages in one pass
ADF Speed	Up to 40 pages in one minute (80 duplex scans)
Additional Feature	Searchable PDF Multi-fed Detection
Page size	A4/A5/A6/B5/B6(JIS)/LEGAL/LETTER/EXECUTIVE

Annexure 1G

Type G

Plotter: Plotter 44-inch

Speed Per Minute	A0 size
Printing Size	Min 44-inch
Resolution	2400X1200 DPI
Color	Min 6 color printer
Ink drop	5 pl / 6 pl or more
Printheads	1 or more printheads
Rolls	Min 2 Rolls with Auto-switch
Hard disk	Min 500GB Self Encrypted hard disk (AES-256 Encrypted)
Print Feature	Plotter should support Adobe Embedded Print Engine (AEPE) or equivalent latest PDF print technology to ensure accurate font rendering and high-quality PDF output.
Pen Drive Printing Feature	Yes
Connectivity	Gigabit Ethernet (1000Base-T)
Operating system support	WINDOWS, MAC

Annexure A: Revised Price Bid

Sr. No	Type of Printer	Description	UOM	Qty Reqd.	Unit price Without TAX	Total Cost Amount Without TAX
1	Type A	LaserJet Color Printer with WiFi	Nos.	19		
		Original B/W Cartridge	Nos.	05		
		Original Cyan Cartridge	Nos.	05		
		Original Magenta Cartridge	Nos.	05		
		Original Yellow Cartridge	Nos.	05		
2	Type A Maintenance Kit	Kit should cover all necessary consumable/replaceable assemblies required for reliable printer operation. The Kit should be Original from the Printer OEM only.	Set	5		
3	Type B	LaserJet B/W Multi-Function Auto Duplex Printer	Nos.	30		
		Original Cartridge	Nos.	05		
4	Type B Maintenance Kit	Kit should cover all necessary consumable / replaceable assemblies required for reliable printer operation. The Kit should be Original from the Printer OEM only.	Set	05		
5	Type C	Auto Duplex B/W LaserJet Printer	Nos.	80		
		Original Cartridge	Nos.	05		
6	Type C Maintenance Kit	Kit should cover all necessary consumable / replaceable assemblies required for reliable printer operation. The Kit should be Original from the Printer OEM only.	Set	05		
7	Type D	Auto Duplex Network (LAN AND WLAN) B/W Printer	Nos.	18		
		Original Cartridge	Nos.	05		
8	Type D Maintenance Kit	Kit should cover all necessary consumable / replaceable assemblies required for reliable printer operation. The Kit should be Original from the Printer OEM only.	Set	05		

9	Type E	Auto Duplex High Speed B/W Printer (for Weighbridge)	Nos.	10		
		Original Cartridge	Nos.	05		
10	Type F Scanner	High Speed network duplex Scanner	Nos.	15		
11	Type G Plotter	Plotter 44-inch	Nos.	15		
		Original Cartridge Type 1 (Min 300 ml)	Nos.	05		
		Original Cartridge Type 2 (Min 300 ml)	Nos.	05		
		Original Cartridge Type 3 (Min 300 ml)	Nos.	05		
		Original Cartridge Type 4 (Min 300 ml)	Nos.	05		
		Original Cartridge Type 5 (Min 300 ml)	Nos.	05		
		Original Cartridge Type 6 (Min 300 ml)	Nos.	05		
12	Type G Maintenance Kit	Kit should cover all necessary consumable / replaceable assemblies required for reliable printer operation. The Kit should be Original from the Printer OEM only.	Set	05		

Note:

1. The quantity of Printers, Cartridges, Plotters and Scanners given above is indicative in nature and may change as for the final work order.
2. The printer cartridge & maintenance kit rate should be fixed for 2 years from the date of LOI/Work order.
3. The quantity of Printers, Cartridges, Plotters and Scanners mentioned above is only for evaluation purposes.
4. The bidder may propose equipment of different makes/OEMs for printers, scanners, and plotters. However, it is mandatory that all printers quoted under this RFP shall be from the same OEM to ensure uniformity in support and maintenance
5. Bidder to Provide Description / Color of Cartridges for plotter against each Type.
6. Bidder / OEMs offering either 5 PL or 6 PL technology shall be eligible to participate, provided all other technical specifications are met. For the purpose of fair commercial evaluation and uniform price discovery, OEMs offering 5 PL technology must quote the cartridge price equivalent to the highest unit cost among the five (5) against the price of 6th cartridge in the pricebid. The price of the highest-cost cartridge (from the available five cartridges of the 5 PL model) shall be taken as the notional price for the sixth cartridge while deriving the L1 financial ranking, ensuring parity and transparency between 5 PL and 6 PL models.